(BEA : 1 00)	-1390(Modified)	U.S. DEPARTMEN	TOF COMMERCEPATENTAND TRADEMARKOFFIC	JC11 Rec'd PCT/PTO 0 5 MAR E ATTORNEY'SDOCKETNUMBER	
		TAL LETTER	TO THE UNITED STATES	112740-164	
	DESIGNA	TED/ELECTE	ED OFFICE (DO/EO/US)	U.S. APPLICATIONNO. (IF KNOWN, SEE 37 CFF	
			IG UNDER 35 U.S.C. 371	09/786608	
NTERN	ATIONALAPPLI PCT/DE99/0		INTERNATIONALFILINGDATE 03 September 1999	PRIORITYDATECLAIMED 03 September 1998	
TITLEO	FINVENTION		ob September 1999	oo September 1770	
ИЕТНО	OD AND RAD	IO COMMUNIC	CATION SYSTEM FOR SYNCHRO	ONIZING SUBSCRIBER STATIONS	
APPLICA	ANT(S)FOR DO/E	O/US			
Michael	Benz et al.				
Applican	t herewith submi	ts to the United Sta	tes Designated/Elected Office (DO/EO/US	the following items and other information:	
1.	This is a FIR	ST submission of i	tems concerning a filing under 35 U.S.C.	371.	
2.	This is a SEC	COND or SUBSEQ	UENT submission of items concerning a	filing under 35 U.S.C. 371.	
3.		oress request to beg until the expiration	in national examination procedures (35 U of the applicable time limit set in 35 U.S.	S.C. 371(f)) at any time rather than delay C. 371(b) and PCT Articles 22 and 39(1).	
4. X	A proper Der	nand for Internation	al Preliminary Examination was made by	the 19th month from the earliest claimed priority date	
5.	A copy of the	International Appl	ication as filed (35 U.S.C. 371 (c) (2))		
	a. 🗆 is tr	ansmitted herewith	(required only if not transmitted by the In	nternational Bureau).	
	b. 🗵 has	been transmitted by	the International Bureau.		
	c. $\square$ is n	ot required, as the a	pplication was filed in the United States R	eceiving Office (RO/US).	
6. <b>X</b>	A translation of the International Application into English (35 U.S.C. 371(c)(2)).				
7.	A copy of the	International Search	ch Report (PCT/ISA/210).		
8.	Amendments	to the claims of the	International Application under PCT Art	icle 19 (35 U.S.C. 371 (c)(3))	
	a. $\square$ are	transmitted herewith	n (required only if not transmitted by the l	nternational Bureau).	
	b. $\square$ have	e been transmitted b	by the International Bureau.		
	c. $\square$ have	e not been made; ho	owever, the time limit for making such am	endments has NOT expired.	
	đ. 🗵 hav	e not been made and	d will not be made.		
9.	A translation	of the amendments	to the claims under PCT Article 19 (35 U	.S.C. 371(c)(3)).	
0.	An oath or de	claration of the inv	entor(s) (35 U.S.C. 371 (c)(4)).		
11. 🗵	A copy of the	International Prelin	minary Examination Report (PCT/IPEA/40	99).	
12.	A translation (35 U.S.C. 37		ne International Preliminary Examination	Report under PCT Article 36	
Items	13 to 20 below	concern document	(s) or information included:		
3. 🛮	An Informati	on Disclosure State	ment under 37 CFR 1.97 and 1.98.		
14. 🗆 🗆	An assignmer	t document for rec	ording. A separate cover sheet in complia	nce with 37 CFR 3.28 and 3.31 is included.	
l5. 🛮	A FIRST pre	liminary amendmen	it.		
6.	A SECOND	or SUBSEQUENT	preliminary amendment.		
7. 🗆	A substitute s	pecification.			
8.	A change of p	ower of attorney ar	nd/or address letter.		
9. 🛮	Certificate of	Mailing by Express	: Mail		
	Other items of	r information:			
20.					

			ır	02 Rs	ec'd PCT/PTO	0 5 MAR SAI
U.S. APPLICATIONNO	deknown, see 27 cfr	INTERNATIONALAPPLI PCT/DE99/0	CATIONNO.	1.42 1.13.	ATTORNEY'S	SDOCKETNUMBER 740-164
21. The follow	ing fees are submitted:.				CALCULATIONS	PTO USE ONLY
BASIC NATIONAL F	EE ( 37 CFR 1.492 (a) (1) -	(5)):				
international sea	onal preliminary examination irch fee (37 CFR 1.445(a)(2)     Search Report not prepared	paid to USPTO	\$1,0	00.00		
	eliminary examination fee (37 rnation Search Report prepare		\$8	60.00		
but international	eliminary examination fee (37 search fee (37 CFR 1.445(a))	(2)) paid to USPTO	\$7	10.00		
but all claims di	eliminary examination fee paid d not satisfy provisions of PC	T Article 33(1)-(4)	\$6	90.00		
and all claims sa	liminary examination fee paid stisfied provisions of PCT Art	icle 33(1)-(4)	\$1	00.00		<b>1</b>
	ENTER APPROPRIA				\$860.00	
months from the earliest	or furnishing the oath or decla t claimed priority date (37 Cl NUMBER FILED	ration later than FR 1.492 (e)).  NUMBER EXTRA	20 □ 3		\$0.00	
CLAIMS		0	x \$18.		\$0.00	]
Total claims	13 - 20 = 2 - 3 =	0	X \$16.	50	\$0.00	
ndependent claims	aims (check if applicable).	<u> </u>	Т п		\$0.00	
vanipio Dopondoni Ci	<u> </u>	ABOVE CALCUL	ATIONS	=	\$860.00	
Reduction of 1/2 for filinust also be filed (Note	ng by small entity, if applica e 37 CFR 1.9, 1.27, 1.28) (ch	ble. Verified Small Entity eck if applicable).	Statement		\$0.00	
		SI	BTOTAL	-	\$860.00	
	00 for furnishing the English t claimed priority date (37 Cl	translation later than	20 🗆 3	80 +	\$0.00	
		TOTAL NATION	AL FEE	=	\$860.00	<del></del>
	closed assignment (37 CFR 1 ropriate cover sheet (37 CFR				\$0.00	-
		TOTAL FEES EN	CLOSED	=	\$860.00	
					Amount to be: refunded	\$
					charged	\$
Please charge n A duplicate co	amount of \$860.00  ny Deposit Account No.  py of this sheet is enclosed.  oner is hereby authorized to cl	to cover the above fees is in the amount	t of	redit ar	to cover the above to cover the above the abov	ve fees.
to Deposit Acce	ount No. 02-1818	A duplicate copy of this she	et is enclosed.			
IOTE: Where an app .137(a) or (b)) must b	oropriate time limit under 3' e filed and granted to restor	7 CFR 1.494 or 1.495 has the application to pendi	not been met, and status.	a petitio	on to revive (37 CF	R
END ALL CORRESPO	ONDENCE TO.	****	h			
William E. Vaughan Bell, Boyd & Lloyd L	LC		SIGNAT	URE	7	
P.O. Box 1135 Chicago, IL 60690-11	35		William NAME	E. Va	aughan /	
			39,056	ם אידורי	NI NILIMDEED	
					N NUMBER	
			March DATE	5, 200	1	

BOX PCT

# IN THE UNITED STATES ELECTED/DESIGNATED OFFICE OF THE UNITED STATES PATENT AND TRADEMARK OFFICE UNDER THE PATENT COOPERATION TREATY-CHAPTER II

5

#### PRELIMINARY AMENDMENT

APPLICANTS:

Michael Benz et al.

DOCKET NO: 112740-164

SERIAL NO:

**GROUP ART UNIT:** 

10

**EXAMINER:** 

INTERNATIONAL APPLICATION NO:

PCT/DE99/02805

INTERNATIONAL FILING DATE:

03 September 1999

INVENTION:

METHOD AND RADIO COMMUNICATION SYSTEM FOR

SYNCHRONIZING SUBSCRIBER STATIONS

15

20

Assistant Commissioner for Patents, Washington, D.C. 20231

Sir:

Please amend the above-identified International Application before entry into the National stage before the U.S. Patent and Trademark Office under 35 U.S.C. §371 as follows:

#### In The Specification:

On page 1, cancel lines 1-4 and substitute the following therefor:

25

# --SPECIFICATION

#### TITLE

# METHOD AND RADIO COMMUNICATION SYSTEM FOR SYNCHRONIZING SUBSCRIBER STATIONS

# **BACKGROUND OF THE INVENTION**

# 30 Field of the Invention--.

On page 1, line 6, insert --present-- before "invention".

On page 1, line 8, cancel "especially" and substitute therefor --particularly--

On page 1, line 9, cancel "comprising" and substitute therefor --which includes--.

On page 1, before line 11, insert the following left-hand justified heading: --Description of the Prior Art--.

5 On page 1, line 12, insert a --, -- after "example".

On page 1, line 26, cancel the "," and substitute therefor a --;--.

On page 2, line 6, cancel "can".

On page 2, line 6, insert --can-- after "also".

On page 2, line 8, cancel "according to figure" and substitute therefor -- as

10 shown in Figure--.

On page 2, line 14, cancel the "," and substitute therefor a --;--.

On page 2, line 14, cancel "figure" and substitute therefor -- Figure--.

On page 2, line 17, cancel "the" before "object" and substitute therefor -- an-

On page 2, line 17, insert --present-- before "invention".

On page 2, lines 18-19, cancel "by means of" and substitute therefor --via--.

On page 2, line 21, cancel "This object is".

On page 2, cancel lines 22-25.

On page 2, before line 26, insert the following centered heading:

20 --SUMMARY OF THE INVENTION--.

On page 2, line 26, insert --present-- before "invention".

On page 2, line 26, insert --therefore,-- after the ",".

On page 3, line 7, cancel "by means of" and substitute therefor --via--.

On page 3, line 12, cancel "for example".

On page 3, line 15, insert --, for example,-- after "sequences".

On page 3, line 20, insert a --, -- after "examples".

On page 3, line 21, insert a --,-- after "codes".

On page 3, line 22, cancel "an advantageous" and substitute therefor -- another--.

On page 3, line 23, insert --present-- before "invention".

On page 3, line 28, cancel "can".

On page 3, line 28, insert -- can-- after "also".

On page 3, line 29, insert a --, -- after "is".

5 On page 3, line 29, insert a --,-- after "thus".

On page 3, line 30, cancel "can".

On page 3, line 30, insert -- can-- after "also".

On page 4, line 33, insert --easily-- after "drawback".

On page 4, line 33, cancel "easily".

On page 4, cancel lines 35-37 and substitute the following paragraph therefor:

--Additional features and advantages of the present invention are described in, and will be apparent from, the following Detailed Description of the Preferred Embodiments and the Drawings.--

On page 5, before line 1, insert the following centered heading:

# -- DESCRIPTION OF THE DRAWINGS--.

On page 5, line 2, cancel "the" and substitute therefor --a--.

On page 5, line 2, cancel the "," and substitute therefor --in a radio communication system;--.

20 On page 5, line 4, insert --a-- after "between".

On page 5, line 5, cancel the "," and substitute therefor --in a radio communication system of the present invention;--.

On page 5, line 8, cancel the "," and substitute therefor --in accordance with the teachings of the present invention;--.

On page 5, line 9, cancel the "," and substitute therefor --for transmitting control information;--.

On page 5, line 11, insert -- of subscriber stations-- after "synchronization".

On page 5, before line 13, insert the following centered heading:

# --DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS--.

On page 5, line 33, cancel "by means of" and substitute therefor --via--.

On page 6, line 18, cancel "figure" and substitute therefor -- Figure--.

On page 7, line 5, insert --present-- before "invention".

On page 7, line 31, cancel "In consequence" and substitute therefor -- As a

5 result--.

On page 8, line 5, cancel "figure" and substitute therefor -- Figure--.

On page 8, line 15, cancel "figure" and substitute therefor -- Figure--.

On page 8, line 17, cancel "by means of" and substitute therefor --via--.

On page 8, line 18, insert -- also-- after "information".

On page 8, line 19, cancel "also".

On page 8, line 32, cancel "can".

On page 8, line 32, insert -- can-- after "also".

On page 9, line 9, cancel "can".

On page 9, line 9, insert --can-- after "also".

On page 9, line 10, cancel "is".

On page 9, line 10, insert --is-- after "also'.

On page 9, line 11, cancel "by means of" and substitute therefor --via--.

On page 9, line 14, cancel the "," and substitute therefor a --;--.

On page 9, line 14, insert a --, -- after "example".

20 On page 9, line 23, insert --as shown in Figure 5-- before the ".

On page 9, line 30, cancel "by means of" and substitute therefor --via--.

On page 9, line 36, cancel "is".

On page 9, line 36, insert --is-- after "also".

On page 10, after line 2, insert the following paragraph:

25 --Although the present invention has been described with reference to specific embodiments, those of skill in the art will recognize that changes may be made thereto without departing from the spirit and scope of the invention as set forth in the hereafter appended claims.--

25

After page 14, cancel lines 1-4, and substitute the following centered heading therefor:

# -- ABSTRACT OF THE DISCLOSURE --.

On page 14, line 6, cancel "According to the invention," and substitute therefor --A method and radio communication system for synchronizing subscriber stations, wherein--.

On page 14, line 21, cancel "by means of" and substitute therefor --via--. On page 14, cancel line 27.

#### In the Claims:

On page 11, cancel line 1, and substitute the following left-hand justified heading therefor:

# -- We Claim As Our Invention: --.

Please cancel claims 1-13, without prejudice, and substitute the following claims therefor:

15 14. A method for synchronizing subscriber stations in a radio communication system, the method comprising the steps of:

allocating a time slot for transmitting at least one synchronization sequence to a number of base stations;

allocating to adjacent base stations a different time offset with respect to a beginning of the time slot for transmitting the at least one synchronization sequence, wherein the time offset corresponds to at least one of a choice of at least one synchronization sequence and a sequence of a number of synchronization sequences;

receiving, at a subscriber station, the synchronization sequence; and

performing, via the subscriber station, a time synchronization via both a time of reception of the synchronization sequence and at least one of the detected synchronization sequence designating the time offset and the detected sequence of the number of synchronization sequences.

20

25

- 15. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, further comprising the step of: transmitting two synchronization sequences in one time slot.
- 5 16. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 15, further comprising the step of: predetermining a time gap between the two synchronization sequences in

the one time slot.

10 17. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, the method further comprising the step of:

transmitting further information by the base station by a choice of at least one of the synchronization sequences and the sequence of a number of synchronization sequences.

- 18. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 17, wherein the further information relates to at least one of a frame synchronization, midambles, and spread-spectrum codes used by the base station.
- 19. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 17, wherein the further information relates to information on the configuration of a control channel.

20. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 19, wherein the information on configuration relates to at least one of a variable number of time slots and spread spectrum codes.

21. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 17, wherein the coding of the further information extends over a number of time slots due to at least one of the choice of synchronization sequences and the sequence of synchronization sequences.

5

- 22. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, wherein the synchronization sequences are unmodulated orthogonal gold codes.
- 23. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, wherein the time slots are a part of a TDD transmission arrangement with broadband channels, a number of time slots per frame being used for the synchronization.
- 24. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, wherein the synchronization sequences are transmitted in time slots in which information of a control channel is additionally transmitted.
- 25. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, wherein the synchronization sequences are transmitted at lower power compared with other transmissions of the base station.
- 25 26. A radio communication system, comprising:

a plurality of base stations for transmitting at least one synchronization sequence;

a controller which assigns a time slot and a different time offset with respect to a beginning of the time slot for transmitting the synchronization sequence to

adjacent base stations, the time offset corresponding to at least one of a choice of at least one synchronization sequence and a sequence of a number of synchronization sequences;

a subscriber station for receiving and evaluating the synchronization sequence; and

a synchronization part allocated to the subscriber station which performs a time synchronization via a time of reception of the synchronization sequence and at least one of a detected synchronization sequence designating the time offset and a detected sequence of a number of synchronization sequences.

10

15

20

5

#### REMARKS

The present amendment makes editorial changes and corrects typographical errors in the specification in order to conform the specification to the requirements of the United States Patent practice. No new matter is added thereby. Original claims 1-13 have been canceled in favor of new claims 14-26. Claims 14-26 have been presented solely because the revisions by bracketing and underlining which would have been necessary in claims 1-13 in order to present those claims in accordance with preferred United States Patent practice would have been too extensive, and thus would have been too burdensome. The amendment is intended for clarification purposes only and not for substantial reasons related to patentability pursuant to 35 U.S.C. §§101, 102, 103 or 112. Indeed, the cancellation of claims 1-13 does not constitute an intent on the part of the Applicants to surrender any of the subject matter of claims 1-13.

Early consideration on the merits is respectfully requested.

Respectfully submitted,

5	We Un	(Reg. No. 39,056)
	William E. Vaughar	
	Bell, Boyd & Lloy LLC	
	P.O. Box 1135	
	Chicago, Illinois 60690-1135	
10	(312) 807-4292	
	Attorneys for Applicants	

Description

Method and radio communication system for synchronizing subscriber stations

5

10

15

20

25

30

35

The invention relates to a method and a radio system for synchronizing subscriber communication stations, especially to the synchronization within a mobile radio system comprising broadband channels and TDD and CDMA subscriber separation.

In radio communication systems, messages (for example voice, video information or other data) are transmitted via an air interface with the aid of electromagnetic waves. The air interface relates to a connection between a base station and subscriber stations, where the subscriber stations can be mobile stationary radio stations. stations or with carrier radiated electromagnetic waves are frequencies which are in the frequency band provided respective system. For future the for communication systems, for example the Universal Mobile Telecommunication System (UMTS) or other generation systems, frequencies within the frequency band of approx. 2000 MHz are provided.

For the third mobile radio generation, modes are provided, one mode designating FDD (Frequency Division Duplex) mode, see ETSI STC SMG2 UMTS-L1, Tdoc SMG2 UMTS-L1 221/98, of 25.8.1998, and the other mode designating a TDD (Time Division Duplex) mode, see DE 198 27 700. The operating modes are used in different frequency bands and both use time slots.

In ETSI STC SMG2 UMTS-L1, Tdoc SMG2 UMTS-L1 221/98, of 25.8.1998, a synchronization method which uses synchronization sequences transmitted in every time slot is described in chapters 2.3.3.2.3 and 6.3

15

20

25

30

for the FDD mode. This makes it possible to synchronize the subscriber stations at the beginning of the time slot. The sequence of transmissions of a second synchronization sequence signals which spread-spectrum code is used by the base station. Furthermore, the beginning of the frame can also be derived therefrom.

However, this synchronization method leads to a scenario according to figure 1 with a synchronous operation of the base stations. The synchronization sequences of base stations of two radio cells Z1, Z3 are superimposed at the receiving subscriber station since the transmissions of the synchronization sequences of all base stations are referred to at the beginning of a frame, see figure 10 in ETSI STC SMG2 UMTS-L1, Tdoc SMG2 UMTS-L1 221/98 of 25.8.1998. The superimposition impairs proper synchronization.

It is, therefore, the object of the invention to specify a method and a radio communication system by means of which the synchronization of the subscriber stations is possible without errors even with at least partially synchronized base stations. This object is achieved by the method having the features of claim 1 and the radio communication system having the features of claim 13. Advantageous further developments can be found in the subclaims.

According to the invention, a time slot for transmitting at least one synchronization sequence is allocated to a number of base stations, either by a higher-level entity or by own selection. Adjacent base stations use a different time offset with respect to the beginning of the time slot for transmitting the synchronization sequence. This precludes superposition even with a synchronized operation of the base stations.

35 The time offset is transmitted so that the subscriber station can still determine the beginning of the time slot. The time

15

20

25

30

35

offset corresponds to the choice of one or more synchronization sequences and/or the sequence of a number of synchronization sequences. In this manner, information relating to the time offset transmitted in coded form. A subscriber station receives the synchronization sequence and performs a time synchronization by means of the time of reception synchronization sequence and the detected synchronization sequence designating the time offset and/or the detected sequence of а number synchronization sequences.

To signal the time offset, for example many variants of a single synchronization sequence and/or the order of transmission of different synchronization sequences can be used. Advantageously, two synchronization sequences are transmitted in one time slot as in the FDD mode described above. The first synchronization sequence is used for determining the time of reception and for coarse synchronization. The sequence of the second synchronization sequences over a number of transmissions codes the time offset.

According to an advantageous embodiment of the invention, time interval between the two synchronization sequences in one time slot predetermined. This provides the possibility of using a filter for detecting single, switchable synchronization sequences. The second synchronization sequence can also be transmitted before the first one the time interval is thus negative. different filters are used, the two sequences can also be transmitted simultaneously.

It is also advantageous to transmit further information by a choice of synchronization sequences and/or their sequence. This provides for quicker operational readiness of the subscriber stations. The further information relates to a frame synchronization, midambles used by the base station, spread-spectrum codes or information

15

20

25

on the configuration of a control channel. A high coding gain is achieved if the coding of the further information by choice and/or sequence of the synchronization sequences extends over a number of time slots. If, for example, 17 variants of the second synchronization sequence are used and the sequence of eight transmissions of the second synchronization sequence is evaluated, this provides 17<sup>8</sup> possibilities. Only a small proportion of these needs to be used.

The synchronization sequences are advantageously unmodulated orthogonal gold codes. As a result, the synchronization method of the FDD mode does not need to be modified much. The synchronization method is particularly suitable for radio communication systems in which the time slots are a part of a TDD transmission arrangement with broadband channels. In this arrangement, a number of time slots per frame can be used for the synchronization. Thus, parts of the detection device can be used for both modes in multimode subscriber stations.

To use the fewest possible system resources for broadcasting purposes, the synchronization sequences are sent in time slots in which information of a control channel is additionally transmitted. Thus, only a small number of time slots needs to be continuously kept available in the downlink direction (from the base station to the subscriber station). The degrees of asymmetry of both directions freedom of the transmission are not much restricted. To keep the interference caused by the synchronization sequences in the remaining channels as low as possible, they are sent at a lower power compared with other transmissions of the base station. This drawback can be easily compensated for by the coding gain.

Exemplary embodiments of the invention will be explained in greater detail with reference to the attached drawings, in which

10

30

35

Figure 1 shows an example of superpositions of synchronization sequences at the receiver,

Figure 2 shows a diagrammatic representation of the air interface between base station and subscriber stations,

Figure 3 shows an arrangement for using a time offset in the transmission of the synchronization sequences,

Figure 4 shows different types of control channels, and

Figure 5 shows a flow chart for the synchronization.

The frame structure of the radio transmission can be seen in Figure 2. According to a TDMA (Time Division Multiple Access), a broadband frequency band, 15 for example with a bandwidth B = 5 MHz, is divided into a number of time slots ts of the same duration, for example 16 time slots ts0 to ts15. A frequency band extends over a frequency range B. Some of the time slots are used in the downlink direction DL and some of 20 the time slots are used in the uplink UL. As example, an asymmetry ratio of 3:1 in favor of the downlink DL is shown. In this TDD transmission method, the frequency band for the uplink UL corresponds to the frequency band of the downlink DL. The same is repeated 25 for other carrier frequencies. Due to the variable allocation of the time slots ts for the uplink or downlink, a great variety of asymmetric resource allocations can be made.

Within the time slots, the information from a number of connections is transmitted in message blocks. The data d are spread in a connection-oriented manner by means of a fine structure, a spread-spectrum code c so that at the receiving end, for example n connections can be separated by this CDMA (Code Division Multiple Access) component. The spreading of individual symbols of the data d has the effect that Q chips of duration

 $T_{\text{chip}}$  are transmitted within the symbol period  $T_{\text{sym}}.$  The Q chips here form the connection-oriented spreadspectrum code c.

Within a broadband frequency range B, the successive time slots ts are arranged in accordance with a frame structure. Thus, 16 time slots ts are combined to form one frame fr.

5 The parameters used for the air interface are advantageously:

Chip-rate:

4.096 Mcps

Frame period:

10 ms

Number of time slots:

16

Number of time brock.

Duration of a time slot: 625 µs

Spreading factor:

16

Type of modulation:

QPSK

Bandwidth:

10

20

25

5 MHz

Frequency reuse value:

15 These parameters provide for the best possible harmonization with an FDD (Frequency Division Duplex) mode for the 3rd mobile radio generation.

1

In the downlink according to figure 3, for example, two time slots ts0, ts8 are used for synchronization. Thus, two synchronization sequences cp, cs separated by a time gap  $t_{\rm gap}$  are in each case transmitted in one time slot ts8. The separation of the two synchronization sequences cp, cs has the advantage of reduced interference since the noise power of both sequences is distributed better over time. The first synchronization sequence cp is the same in each time slot ts0, ts8. The second synchronization sequence cs can be chosen individually for each time slot ts0 to time slot ts8.

choice and order of the second 30 The synchronization sequence cs corresponds to a time offset toff by which the transmission of the first synchronization sequence cp is delayed with respect to slot ts8. The receiving beginning of time subscriber station MS can determine the time offset 35 toff

15

20

25

30

35

by receiving and evaluating the synchronization sequences cs and take this into consideration during the synchronization.

Adjacent base stations BS are frame-synchronized. According to the invention, a different time offset toff for transmitting the synchronization sequences is assigned to adjacent base stations BS. For example, 32 different time offsets toff are used so that cell clusters can be formed and when the time offset toff is changed for one base station BS, the whole cluster does not need to be changed.

Due to the choice and sequence of the second synchronization sequences cs over, for example, 4 frames fr and two time slots ts0, ts8 per frame fr, 178 different possibilities for transmitting further information in addition to the time offset toff are created when 17 different unmodulated orthogonal cold codes of 256 chips length are used. Due to the many possibilities, the coding gain is high so that the synchronization sequences cp, cs can be transmitted at low power.

The further information relates to the frame synchronization, midambles used by the base station, spread-spectrum codes (the midambles and spreadspectrum codes being issued independently of another) and information on the configuration of a control channel BCCH. In the case of two time slots ts frame fr, used for the synchronization, the beginning of the frame is still inaccurate by a factor of two after detection of the synchronization in one time slot ts. In consequence, the frame synchronization can be produced easily by a certain sequence of second synchronization sequences cs. In addition, the later detection of information of the control channel BCCH is speeded up if midambles, spread-spectrum codes and information on the configuration are transmitted during the synchronization.

15

20

25

30

35

In particular, there is the possibility of introducing a scalable control channel BCCH which is announced by synchronization sequences the sequence of independently of the use of the time offset toff. According to figure 4, for example, control information can be transmitted in one, two or four channels. Thus, the data rate of the control channel BCCH can be adapted to the cell-related requirements in accordance with the services offered there. This provides future modification of the control channel BCCH. Thus, the parameters (number of channels, time slots and spread-spectrum codes) of the control channel BCCH do not need to be fixed in advance throughout the system but can be transmitted during the synchronization.

In addition to the variants of figure 4, it is also possible to inform about additional channels with control information by means of the further information from the synchronization. Thus, control information can also be temporarily transmitted in additional channels. The control channel BCCH is transmitted in parallel with other user data calls but possibly with greater error protection coding.

The transmissions of the control channel BCCH and of the synchronization sequences cp, cs are preferably located in the same time slot ts, as a result of which only two time slots ts0, ts8 need to be continuously reserved for the downlink DL. The adjustability of the asymmetry is only restricted very slightly.

If the asymmetry ratios in the system are such that more than two time slots ts0, ts8 are used for the downlink DL, control information can also be transmitted in the remaining time slots ts allocated to the down link DL. It is then also possible to transmit the control information exclusively in time slots ts in which the synchronization sequences cp, cs are not transmitted. The flexibility of the

10

15

20

25

30

35

control channel BCCH provides additional advantages since, for example, a distribution over a number of time slots results in greater robustness of the transmission with respect to interference.

Using a multicode transmission in the control channel BCCH (a number of spread-spectrum codes c per time slot ts) within a time slot ts provides for an adaptive increase in the data rate of the control channel BCCH. A similar effect can also be achieved by reducing the spreading factor which is also transmitted by means of the choice and sequence of the synchronization sequences cs. The choice of time slots ts for transmitting the control information can be coordinated by a higher-level entity, for example a radio network resource manager RNM for a number of base stations BS.

The assignment of time slots ts0, ts8 for the synchronization and of different time offsets toff with respect to the beginning of time slot ts0, ts8 for transmitting the synchronization sequences cp, performed in a controller, e.g. the radio network resource manager RNM of a base station system, precedes the synchronization as a first step 1. In a second step stations 2, number of base BS transmit synchronization sequences cp, cs in the predetermined order which is particular to each base station and corresponds to the time offset toff.

In a third step 3, a subscriber station MS receives the synchronization sequences cp, cs and performs a coarse synchronization by means of the first synchronization sequence cp. Evaluation of the second synchronization sequences cs in a fourth step 4 enables the time slots to be synchronized to the beginning of time slot ts whereupon, in a fifth step 5, the frame synchronization and the preparation for reception of the control channel BCCH is also performed by evaluating the further information. Steps 3 to 5 are performed by synchronization means SYNC allocated to the subscriber station which,

for example, represent a signal processing processor and correlators formed by signal-adapted filters.

15

30

35

Patent Claims

1. A method for synchronizing subscriber stations (MS) in a radio communication system, in which a time slot (ts) for transmitting at least one synchronization sequence (cp, cs) is allocated to a number of base stations (BS),

adjacent base stations (BS) use a different time offset (toff) with respect to the beginning of the time slot (ts) for transmitting the synchronization sequence (cp, cs),

the time offset (toff) corresponds to the choice of one or more synchronization sequences (cp, cs) and/or to the sequence of a number of synchronization sequences (cp, cs),

the subscriber station (MS) performs a time synchronization by means of the time of reception of the synchronization sequence (cp, cs) and the detected synchronization sequence (cp, cs) designating the time offset (toff) and/or the detected sequence of a number of synchronization sequences (cp, cs).

- 2. The method as claimed in claim 1, characterized in that two synchronization sequences (cp, cs) are transmitted in one time slot (ts).
  - 3. The method as claimed in claim 2, characterized in that a time gap  $(t_{gap})$  is predetermined between the two synchronization sequences  $(cp,\ cs)$  in a time slot (ts).
  - 4. The method as claimed in one of the preceding claims, characterized in that further information is transmitted by the base station (BS) by a choice of synchronization sequences (cp, cs) and/or their sequence.
  - 5. The method as claimed in claim 4 characterized in that

15

the further information relates to a frame synchronization and/or midambles and/or spread-spectrum codes (c) used by the base station (BS).

- 6. The method as claimed in claim 4, characterized in that the further information relates to information on the configuration of a control channel (BCCH).
  - 7. The method as claimed in claim 6, characterized in that the information on configuration relates to a variable number of time slots and/or spread-spectrum codes.
  - 8. The method as claimed in one of claims 4 to 7, characterized in that the coding of the further information extends over a number of time slots (ts) due to the choice and/or sequence of synchronization sequences (cp, cs).
  - 9. The method as claimed in one of the preceding claims, characterized in that the synchronization sequences (cp, cs) are unmodulated orthogonal gold codes.
- 20 10. The method as claimed in one of the preceding claims, characterized in that the time slots (ts) are a part of a TDD transmission arrangement with broadband channels, a number of time slots (ts) per frame (fr) being used for the synchronization.
- 25 11. The method as claimed in one of the preceding claims, characterized in that the synchronization sequences (cp, cs) are transmitted in time slots (ts) in which information of a control channel (BCCH) is additionally transmitted.
- 12. The method as claimed in one of the preceding claims, characterized in that the synchronization sequences (cp, cs) are transmitted at lower power compared with other transmissions of the base station (BS).

- 13. A radio communication system comprising a number of base stations (BS) for transmitting at least one synchronization sequence (cp, cs),
- 5 comprising a controller (RNM) which assigns a time slot (ts) and a different time offset (toff) with respect to the beginning of the time slot (ts) for transmitting the synchronization sequence (cp, cs) to adjacent base stations, the time offset (toff) corresponding to the choice of one of more synchronization sequences (cp, cs) and/or the sequence of a number of synchronization sequences (cp, cs),
  - comprising a subscriber station (MS) for receiving and evaluating the synchronization sequence (cp, cs),
- 15 comprising synchronization means (SYNC) allocated to the subscriber station, which perform a time synchronization by means of the time of reception of the synchronization sequence (cp, cs) and the detected synchronization sequence (cp, cs) designating the time of synchronization sequences (cp, cs).

Abstract

Method and radio communication system for synchronizing subscriber stations


According to the invention, a time slot is assigned to a number of base stations for transmitting at least one synchronization sequence and adjacent base stations use a different time offset with respect to the beginning of the time slot for transmitting the synchronization sequence. Thus, superposition can be precluded even in the case of a synchronized operation of the base stations. So that the subscriber station can still determine the beginning of the time slot, the time offset is transmitted. The time offset corresponds to the choice of one or more synchronization sequences and/or the sequence of a number of synchronization sequences. The information relating to the time offset is transmitted coded in this manner. A subscriber station receives the synchronization sequence performs a time synchronization by means of the time of reception of the synchronization sequence and the detected synchronization sequence designating the time offset and/or the detected sequence of a number of synchronization sequences.

Figure 3

➤ t

1/4


Fig. 1 \_\_\_\_\_\_ z<sub>1</sub> \_\_\_\_\_ z<sub>2</sub> \_\_\_\_\_ z<sub>3</sub>




2/4

Fig. 2






3/4



4/4

Fig. 5



				<del>,</del>					
		FOR PATENT APPLICATION A anal Applications) PCT/DE99/02805	AND POWER OF ATTORNEY	ATTORNEYS DOCKET NUMBER 112740-164					
	As a below na	med inventor, I hereby declare	that:						
I believe I am to inventor (if plui the invention e	the original, first ral names are lis entitled:	and sole inventor (if only one natter sted below) of the subject matter	as stated below next to my name, ame is listed below) or an original, r which is claimed and for which a YNCHRONIZING SUBSCRIBER	first and joint patent is sought on					
the specificati	ne specification of which (check only one item below):								
	is attached he	reto.							
	was filed as U Serial No.	nited States application 09/786,608							
	on	March 5, 2001							
	and was amer	nded							
	on		(if applicable).						
	was filed as Po	CT international application							
	Number								
	on		·						
	and was amen	ided under PCT Article 19							
	onno		(if applicable).						
I hereby state t claims, as ame	hat I have revie		s of the above-identified specifica						
l acknowledge with Title 37, Co	the duty to disclode of Federal F	ose information which is materia Regulations, §1.56(a).	al to the examination of this applica	ation in accordance					
the United State inventor's certif	tor's certificate of es of America lis licate or any PC lica filed by me o	or of any PCT international appli sted below and have also identif Finternational application(s) des	ates Code, §119 of any foreign ap cation(s) designating at least one ied below any foreign application(signating at least one country othe ag a filing date before that of the a	country other than s) for patent or r than the United					
PRIOR FOREIG	GN/PCT APPLIC	CATION(S) AND ANY PRIORIT	Y CLAIMS UNDER 35 U.S.C. 11	9:					
COUN (if PCT indic		APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 USC 119					
Germany	· · · · · · · · · · · · · · · · · · ·	198 40 232.5	03 September 1998	MYES INO					
				□YES □NO					
				☐ YES ☐ NO					
				☐ YES ☐ NO					
	□ YES □ NO								

	ined Declaration inued) (Includes Re		ATTORNEY'S DOCKET NO. 112740-164					
the Uni that/tho materia	y claim the benefit und ted States of America se prior application(s) Il Information as defini national or PCT inte	that Is/are listed in the manner pro ed in Title 37, Coo	below and, In: wided by the fi te of Federal F	sofar as th irst paragra Regulations	e subject mater of ea oph of Title 35, Untied	ich of the claims of States Code, §11:	of this application 2, I acknowledge t	is not disclosed he duty to disclos
PRIOR	U.S. APPLICATION	S OR PCT INTER	RNATIONAL	PPLICAT	IONS DESIGNATIN	THE U.S. FOR	BENEFIT UNDE	R 35 U.S.C. 120:
U.S. A	PLICATIONS					STATUS (Che	еск опе)	·
U.S. AF	PLICATION NUMBE	R		U.S. FI	LING DATE	PATENTED	PENDING	ABANDONE
PCT AF	PLICATIONS DESIG	SNATING THE U.	s.					
P	CT APPLICATION NO	PCTF	ILING DATE		SERIAL NUMBERS SIGNED (If any)			
				<del> </del>	<del></del>		ļ	
Harney (33,543) of Bell, I	R OF ATTORNEY: As Barry (30,819), Thom (38,174), Patricia A. K., Renato L. Smith (45, Boyd & Lloyd LLC;	ane (46 446) Mic	hapis Loopa	. Cameiu	(30,404), Robert VV.	Connors (46,639)	, Amy J. Gast (41	1,773), Timothy L
		- J	BOYD & LLOY P.O. Box <u>113;</u> 90, Illinois (	5			Direct Telephor 312/807-4292	ne Calls to:
	FULL NAME OF INVENTOR	FAMILY NAME BENZ			FIRST GIVEN NAME MICHAEL		SECOND GIVEN NA	ME
2 0 1	RESIDENCE & CITIZENSHIP	CiTY 13629 Berlin	7	EX	STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITIZ	ENSHIP
	POST OFFICE ADDRESS	POST OFFICE AD			CITY 13629 Berlin		STATE & ZIP CODE/COUNTRY	
*,	FULL NAME OF INVENTOR	FAMILY NAME			FIRST GIVEN NAME ANJA		SECOND GIVEN NAME	
2 0 2	RESIDENCE & CITIZENSHIP	City 10709 Berlin	. DE	X	STATE OR FOREIGN CO	DUNTRY	COUNTRY OF CITIZ	ENSHIP
	POST OFFICE ADDRESS	Post office and Paderborner S			CITY 10709 Berlin		STATE & ZIP CODE	COUNTRY
	FULL NAME OF INVENTOR	FAMILY NAME			FIRST GIVEN NAME		SECOND GIVEN NAM	AE.
2 0 3	RESIDENCE & CITIZENSHIP	CITY 1040S Berlin	DE	X	STATE OR FOREIGN CO	DUNTRY	COUNTRY OF CITIZE	ENSHIP
baroby	POST OFFICE ADDRESS	POST OFFICE ADD Prenziauar Aliee 23:	,		CITY 10405 Berlin		STATE & ZIP CODE/C	
ne or imp	eclare that all stateme ; and further that thes prisonment, or both, v the application or any	nder section 100	of Tale 18 of	wledge and he knowled the United	true and that all stated that willful false says that willful false says that code, and the code, and the code is the code of	ements made on I statements and the at such willful fals	information and be the so made ar se statements ma	elief are believed e punishable by y jeopardize the
IGNATU	RE OF INVENTOR 2	01 SIGNATU	JAGANA	NTOR 20	a l	SIGNATURE OF	INVENTOR 203	KIVI
ATE		DATE	hay	129,	8/	DATE	m 0/0	11
iosi(i	REV_01-84)	Page 2 of 4	/	17-	US DEPARTME	NT OF COMME	RCE- Patent and	Trademark Offic

	Combined Declaration For Patent Application and Power of Attorney (Continued) (Includes Reference to PCT International Applications) PCT/DE99/02805  ATTORNEY'S DOCKET NO. 112740-154										
	I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT International application(s) designating the United States of America that is/are listed below and, insofar as the subject mater of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, Untled States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:										
	PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 128:										
	U.S. AF	PLICATIONS			,		STATUS (Che	ck one)			
	U.S. AF	PLICATION NUMBER	٦		U.S. FIL	ING DATE	PATENTED	PENDING ABANDONED			
							<b> </b>				
	PCT AP	PLICATIONS DESIG	NATIN	G THE U.S.							
	PC	T APPLICATION NO	,	PCT FILING DATE		ERIAL NUMBERS SIGNED (if any)		,			
7											
Ö											
the line was made that the	POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) Holby M. Abern (P47,372), Robert M. Barrett (30,142), Alan L. Barry (30,819), Thomas C. Basso (46,541), Jeffrey H. Canfield (38,404), Robert W. Connors (46,639), Amy J. Gast (41,773), Timothy L. Harney (38,174), Patricia A. Kane (46,446), Michael S. Leonard (37,557), Edward A. Lehman (22,312), Adam H. Masla (35,602), Dante J. Picciano (33,543), Renato L. Smith (45,117), Maurice E. Teixeira (45,546), William E. Vauchan (39,056), Austra Victor (47,154).								,773), Timothy L.		
T C	Send Correspondence to:  BELL, BOYD & LIGYD LLC  Direct Telephone Calls to:										
Health				P.O. Box 1135				312/607-4292	ie Caus IO.		
			T	Chicago, Illinois 6	0690	<del></del>					
Same trust	_	FULL NAME OF INVENTOR	}	LY NAME RICH		FIRST GIVEN NAME THOMAS		SECOND GIVEN NAME			
die Saul	2 0 4	RESIDENCE & CITIZENSHIP	135	05 Berlin DE	Χ	STATE OR FOREIGN COUNTRY Cormany		COUNTRY OF CITIZENSHIP Germany			
		POST OFFICE ADDRESS	ł .	r office address dhauser Str. 109B		CITY 13505 Berlin		STATE & ZIP CODE/COUNTRY Germany			
5	}	FULL NAME OF INVENTOR	<b>l</b> _	LY NAME RBER		FIRST GIVEN NAME MICHAEL		SECOND GIVEN NAME			
	2 0 5	RESIDENCE & CITIZENSHIP	6251	15 Wolfratshausen	DEX	STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITIZ	Enship		
		POST OFFICE ADDRESS	f	OFFICE ADDRESS essstaettstr, 12A		city 82515 Wolfratshau	ısen	STATE & ZIP CODE/COUNTRY Germany			
	· .	FULL NAME OF INVENTOR		YNAME TKAMP		FIRST GIVEN NAME MEIK		SECOND GIVEN NA	ME		
	2 0 6	RESIDENCE & CITIZENSHIP	CITY 1058	95 Berlin DEX		STATE OR FOREIGN C	CUNTRY	COUNTRY OF CITIZ	Enship		
		POST OFFICE ADDRESS	Schu	office address istehrusstr. 42		CITY 10585 Berlin		STATE & ZIP CODE/COUNTRY			
	fine or im	, and futiner that thes	e state nder se	ide herein of my own kno ments were made with the ection 1001 of Title 18 of the issuing thereon.	he knowle	dae that willful falce.	statements and th	a lika sa mada -			
	SIGNATI	RE OF INVENTOR 2	<u>0</u> 4	SIGNATURE OF INVE	NTOR 20	5	SIGNATURE OF	INVENTOR 206	llap		
DATE 07 June 2001 DATE DATE 05/06/01						1					

PTO-1391 (REV 01-84)

Page 3 of 4

US DEPARTMENT OF COMMERCE- Patent and Trademark Office

Combi (Conti	ned Declaration nued) (Includes Refe		ATTORNEY'S DOCKET NO. 112740-164				
the Unite that/thos material	ed States of America t e prior application(s) In information as defined	Title 35, United States Code, that is/are listed below and, institute manner provided by the firm Title 37, Code of Federal Retional filing date of this applicational filing date of this applicational filing date.	sofar as the st paragrap legulations,	e subject mater of each oh of Title 35. Untied 5	ch of the claims of States Code, §112	f this application . I acknowledge t	is not disclosed in ne duty to disclose
PRIOR	J.S. APPLICATIONS	OR PCT INTERNATIONAL A	PPLICATI	ONS DESIGNATING	THE U.S. FOR E	BENEFIT UNDEF	R 35 U.S.C. 120:
U.S. AP	PLICATIONS		<del>,</del> _		STATUS (Chec	ck one)	, — — —
U.S. AP	PLICATION NUMBER		U.S. FIL	ING DATE	PATENTED	PENDING	ABANDONED
	<del></del>						
			ļ				
			<u> </u>		ļ		
PCT AP	PLICATIONS DESIGN	ATING THE U.S.			ļ	ļ	
PC	T APPLICATION NO	PCT FILING DATE	U.S. SI	ERIAL NUMBERS			
			ASS	SIGNED (if any)	<del> </del>	<del></del>	<del> </del>
			<del> </del>		<del> </del>		
			<b> </b> -		<del> </del>		
POWER	OF ATTORNEY: As	a named inventor. I hereby ap	point the fo	llowing attornev(s) H	olby M. Abern (P4	7,372), Robert M	. Barrett (30.142).
POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) Holby M. Abern (P47,372), Robert M. Barret Alan L. Barry (30,819), Thomas C. Basso (46,541), Jeffrey H. Canfield (36,404), Robert W. Connors (46,639), Amy J. Gast (41,773), Harney (38,174), Patricia A. Kane (48,446), Michael S. Leonard (37,557), Edward A. Lehman (22,312), Adam H. Masia (35,602), Dante (33,543), Renato L. Smith (45,117), Maurice E. Telxeira (45,646), William E. Vaughan (39,056), Austin Victor (47,154), and all members of Bell, Boyd & Lloyd LLC.							
Send Co	rrespondence to:	BELL, BOYD & LLOY P.O. Box 113:				Direct Telephone Calls to: 312/807-4292	
	<del></del>	Chicage, Illinois		0			
)	FULL NAME OF INVENTOR	FAMILY NAME SOMMER		FIRST GIVEN NAME VOLKER		SECOND GIVEN N	AME
2 0 7	RESIDENCE & CITIZENSHIP	CITY 13503 Berlin	DEX	STATE OR FOREIGN COUNTRY Gormany		COUNTRY OF CITIZENSHIP Gormany	
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Schwabstedter Weg 6		CITY 13503 Berlin		STATE & ZIP CODE/COUNTRY Germany	
:	FULL NAME OF INVENTOR	FAMILY NAME		FIRST GIVEN NAME		SECOND GIVEN NAME	
2 0 8	RESIDENCE & CITIZENSHIP	CITY		STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	POST OFFICE ADDRESS		CITY		STATE & ZIP CODE	ECOUNTRY
	FULL NAME OF INVENTOR	FAMILY NAME		FIRST GIVEN NAME		SECOND GIVEN NA	ME
2 0 9	RESIDENCE & CITIZENSHIP	CITY		STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITE	ZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS		CITY		STATE & ZIP CODE	
to be true	e; and further that thes prisonment, or both, u	ents made herein of my own kn e statements were made with nder section 1001 of Title 18 o y patent issuing thereon.	the knowle	adge that willful false	statements and t	he like so made a	are punishable by
SIGNATI	ARE OF INVENTOR 2	5	ENTOR 20	)2	SIGNATURE O	F INVENTOR 20	3
DATE	07,06,0	1 DATE		:	DATE		

_									
	COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY  (Includes Reference to PCT International Applications) PCT/DE99/02805  ATTORNEY'S DOCKET NUMBER 112740-164								
	As a below nar	med inventor, I hereby declare the	oat:	<u> </u>					
I believe I am t inventor (if plur the invention e	My residence, post office address and citizenship are as stated below next to my name, I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:  METHOD AND RADIO COMMUNICATION SYSTEM FOR SYNCHRONIZING SUBSCRIBER STATIONS								
the specification	the specification of which (check only one item below):								
a	is attached her	reto.							
•	was filed as United States application Serial No09/786,608								
	an	March 5, 2001		<del>1</del>					
	and was amen	ded							
	on		(if applicable).						
	was filed as Po	CT international application							
,	Number			<b></b>					
	on								
	and was amen	ded under PCT Article 19							
	onno		(if applicable).						
I hereby state to claims, as ame	hat I have review ended by any am	wed and understand the content endment referred to above.	s of the above-identified specifical	tion, including the					
l acknowledge with Title 37, C	the duty to discl ode of Federal F	ose information which is materia Regulations, §1.56(a).	I to the examination of this applica	ation in accordance					
I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:									
PRIOR FOREI	GN/PCT APPLI	CATION(S) AND ANY PRIORIT	Y CLAIMS UNDER 35 U.S.C. 11	9;					
COUNT (if PCT indic		APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 USC 119					
Germany	<del></del>	198 40 232.5	03 September 1998	MYES DNO					
				☐YES ☐ NO					
				DYES DNO					
<del></del>				DYES DNO					

DYES DNO

7
1
1
D
T
Ŋ
2)
1
F .
Harry Trans
±.

				r .				
			Patent Application to PCT International Ap				ATTORNEY'S 112740-164	DOCKET NO.
the Uni that/tho materia	ited States of America use prior application(s) in al information as define	that Is/a in the m id in Titl	I5, United States Code, § are listed below and, ins anner provided by the fir e 37, Code of Federal R I filing date of this applic	ofar as the st paragra egulations	e subject mater of ea ph of Title 35, Untied	ach of the claims of States Code, §11:	of this application in 2, I acknowledge to	is not disclosed in ne duty to disclose
PRIOR	U.S. APPLICATIONS	OR PO	T INTERNATIONAL A	PPLICAT	IONS DESIGNATIN	G THE U.S. FOR	BENEFIT UNDER	R 35 U.S.C. 120:
U.S. AF	PPLICATIONS					STATUS (Che	ck one)	
U.S. AF	PPLICATION NUMBE	R		U.S. FIL	ING DATE	PATENTED	PENDING	ABANDONED
			····			ļ	<del> </del>	
PCT AF	PLICATIONS DESIG	NATIN	THEIIS			-		
<u> </u>		, , , , , , , ,	1120.0.		<del></del>		<del> </del>	
P	CT APPLICATION NO	)	PCT FILING DATE		ERIAL NUMBERS	<del></del>	<del></del>	
·					SIGNED (If any)	<del></del>	<del> </del>	
							<del> </del>	
						<del></del>	<del> </del>	
Harney (33,543) of Bell, I	(38,174). Patricia A. K. ), Renato L. Smith (45, Boyd & Lloyd LLC.	ane /46	inventor, I hereby appo asso (46,541), Jeffrey H ,446), Michael S. Leonar aurice E. Teixeira (45,64	. Canneig - 137 FF7	(Ja,404), Robert W.	. Connors (46,639)	, Amy J. Gast (41	1,773), Timothy L.
Send Co	orrespondence lo:		BELL, BOYD & LLOY	nuc			Direct Telephor	ne Calls to:
			P.O. Box 1135	i			312/807-4292	ic oblid to.
	FULL NAME OF	T	Chicago, Illinois 6	0690	<del></del>	<del></del>		
	INVENTOR	BEN	Y NAME Z		FIRST GIVEN NAME MICHAEL		SECOND GIVEN NAME	
2 0 1	RESIDENCE & CITIZENSHIP	1362	9 Berlin	STATE OR FOREIGN GOUNTRY Germany		COUNTRY OF CITIZENSHIP		
	POST OFFICE ADDRESS	1	office address ikertdamm 328		CITY 13629 Berlin		STATE & ZIP CODE/COUNTRY Germany	
	FULL NAME OF INVENTOR	FAMIL	Y NAME N		FIRST GIVEN NAME ANJA	SECOND GIVEN NAM		ME
2 0 2	RESIDENCE & CITIZENSHIP	1070	9 Berlin		STATE OR FOREIGN (	COUNTRY	COUNTRY OF CITIZ	ENSHIP
	POST OFFICE ADDRESS	ŧ	OFFICE ADDRESS rborner Str. 8		CITY 10709 Berlin		STATE & ZIP CODE	COUNTRY
	FULL NAME OF INVENTOR	FAMIL' SITTE	YNAME		FIRST GIVEN NAME ARMIN		second given Na	ME
2 0 3	RESIDENCE & CITIZENSHIP	C(TY 10405	Serlin		STATE OR FOREIGN O	COUNTRY	COUNTRY OF CITIZ	ENSHIP
	POST OFFICE ADDRESS	Promis	OFFICE ADDRESS NUCL Alies 237		CITY 1040S Bedin		STATE & ZIP CODE	
fine or im	declare that all statemes; and further that thes prisonment, or both, up the application or any	nder se	de herein of my own kno nents were made with the ction 1001 of Title 18 of Issuing thereon.	wledge ar he knowle the Unite	e true and that all sta	itements made on statements and it that such willful fal	Information and but the like so made at the so made at the so made at the so statements made at the sound in	elief are believed re punishable by ny jeopardize the
	JRE OF INVENTOR 2		SIGNATURE OF INVE	NTOR 20				
DATE 2	3 Noy 01		DATE			DATE		
U-1391 (	(REV 01-84)	Page	2014					

US DEPARTMENT OF COMMERCE- Patent and Trademark Office

				`						
•	•	For Patent Application erence to PCT International A				ATTORNEY'S 112740-154	DOCKET NO.			
the Unite that/thos material	I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT International application(s) designating the United States of America that is/are listed below and, insofar as the subject mater of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:									
PRIOR L	PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 120:									
U.S. APE	PLICATIONS				STATUS (Che	ck one)				
U.S. API	PLICATION NUMBER	₹	U.S. FIL	ING DATE	PATENTED	PENDING	ABANDONED			
PCTAP	PLICATIONS DESIGN	NATING THE U.S.	··							
PC	T APPLICATION NO	PCT FILING DATE		ERIAL NUMBERS SIGNED (if any)						
	······································		7.30	SIGNED (II AIIY)	<del></del>	<del> </del>				
				· · · · · · · · · · · · · · · · · · ·		-				
			1							
Harney (3 (33,543), of Bell, B	POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) Holby M. Abern (P47,372), Robert M. Barrett (30,142), Alan L. Barry (30,819), Thomas C. Basso (46,541), Jeffrey H. Canfield (38,404), Robert W. Connors (46,639), Amy J. Gast (41,773), Timothy L. Harney (38,174), Patricia A. Kane (46,446), Michael S. Leonard (37,557), Edward A. Lehman (22,312), Adam H. Masia (35,602), Dante J. Picciano (33,543), Renato L. Smith (45,117), Maurice E. Teixeira (45,646), William E. Vaughan (39,056), Austin Victor (47,154), and all members of the firm of Bell, Boyd & Lloyd LLC.									
Send Col	rrespondence to:	BELL, ROYD & LLO	YD LLC			Direct Telephor	ne Calls to:			
		P.O. Box 113 Chicago, Illineis	5	312/607-4292						
	FULL NAME OF INVENTOR	FAMILY NAME ULRICH		FIRST GIVEN NAME THOMAS	SECOND GIVEN NA					
2 0 4	RESIDENCE & CITIZENSHIP	CITY 13505 Berlin		STATE OR FOREIGN COUNTRY Gormany		COUNTRY OF CITIZENSHIP				
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Sandhauser Str. 1098		CITY 13505 Berlin		STATE & ZIP CODE/COUNTRY Germany				
	FULL NAME OF INVENTOR	FAMILY NAME FAERBER		FIRST GIVEN NAME MICHAEL		second given N	WE			
2 0 5	RESIDENCE & CITIZENSHIP	city 82515 Wolfratshausen		STATE OR FOREIGN C	DUNTRY	COUNTRY OF CITIZENSHIP				
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Schiessstaettstr. 12A		CITY B2515 Wolfratshau	isen	STATE & ZIP CODE	COUNTRY			
	FULL NAME OF INVENTOR	FAMILY NAME KOTTKAMP		FIRST GIVEN NAME MEIK		SECOND GIVEN NA	WE			
2 0 6	RESIDENCE & CITIZENSHIP	crry 10585 Berlin		STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITIZ	ZENSHIP			
	POST OFFICE ADDRESS	Post office address Schustehrusstr. 42		CITY 10585 Berlin		STATE & ZIP CODE				
fine or imp	; and funner that thes prisonment, or both, u	onts made herein of my own k the statements were made with onder section 1001 of Title 18 of patent issuing thereon.	the knowle	edge that willful fales	platamanta and t	ha lika ca mada -	and manufalentia had			
	IRE OF INVENTOR 2	77	PENTOR 20	Hall	SIGNATURE O	F INVENTOR 20	6			
DATE		DATE 6.6	(O)	1	BATE 11	106/0-	$\frac{3}{1}$			

PTO-1391 (REV 01-84)

Page 3 of 4

US DEPARTMENT OF COMMERCE- Patent and Trademark Office

				ratent Application to PCT International Ap				ATTORNEY'S 112740-154	DOCKET NO.
	the Unite that/thos material	ed States of America t e prior application(s) la information as defined	that is/ the m i in Tit	35, United States Code, § are listed below and, ins sanner provided by the fir le 37, Code of Federal R I filing date of this applic	ofar as the st paragrap egulations,	subject mater of ea th of Title 35, United t	ch of the claims of States Code, §112	f this application i , I acknowledge th	is not disclosed in ne duty to disclose
	PRIOR	J.S. APPLICATIONS	OR P	CT INTERNATIONAL A	PPLICATI	ONS DESIGNATING	THE U.S. FOR I	BENEFIT UNDER	35 U.S.C. 120:
	U.S. API	PLICATIONS			,	······································	STATUS (Chec	k one)	, ————
	U.S. API	PLICATION NUMBER	₹		U.S. FIL	ING DATE	PATENTED	PENDING	ABANDONED
	ļ								
					<b> </b> -				
	<del></del> -				L				
	PCT API	PLICATIONS DESIG	NATIN	G THE U.S.	<u> </u>		<del> </del>		<u> </u>
	PC	T APPLICATION NO		PCT FILING DATE		ERIAL NUMBERS			
					ASS	IGNED (if any)		<del></del>	
4000			<u> </u>						<del></del>
E H									
I will be the first	Alan L. E Harney (33,543),	38,174), Patricia A. Ka	is C. B ine (48	ed inventor, I hereby app a550 (46,541), Jeffrey H i,446), Michael S. Leona Maurice E. Telxeira (45,6)	l. Canfield rd (37.557)	(38,404), Robert W.	Connors (46,639) (22,312) Adam H	, Amy J. Gast (41	,773), Timothy L
	Send Co	rrespondence to:		BELL, BOYD & LLOY P.O. Box 1135	5			Direct Telephor	ne Calls to:
H.		FULL NAME OF	T =	Chicago, Illinois I	00090				
L. T. C. L.		INVENTOR	DMMER		FIRST GIVEN NAME VOLKER	· ·	SECOND GIVEN N		
H. II.II.	2 0 7	RESIDENCE & CITIZENSHIP	135	03 Berlin		STATE OR FOREIGN COUNTRY Germany		COUNTRY OF CITIZENSHIP Germany	
	-	POST OFFICE ADDRESS	1	T OFFICE ADDRESS wabstedter Weg 8		CITY 13503 Berlin		STATE & ZIP CODE/COUNTRY Germany	
		FULL NAME OF INVENTOR	FAM	ILY NAME	FIRST GIVEN NAME			SECOND GIVEN NAME	
	2 0 8	RESIDENCE & CITIZENSHIP	CITY				DUNTRY	COUNTRY OF CITI	ZENSHIP
		POST OFFICE ADDRESS	POS	r office address		CITY		STATE & ZIP CODE	UCOUNTRY
		FULL NAME OF INVENTOR	FAMI	LY NAME		FIRST GIVEN NAME		second given na	ME
	2 0 9	RESIDENCE & CITIZENSHIP	CITY			STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITE	ZENSHIP
		Post office Address		Poffice address		CITY		STATE & ZIP CODE/COUNTRY	
	fine or im	; and further that thes	ie stati Inder s	ade herein of my own kn ements were made with section 1001 of Title 16 c nt issuing thereon.	the knowle	idae that willful false	t has steampteds	ha lika sa mada -	en munichable bu
	SIGNATU	IRE OF INVENTOR 2	201	SIGNATURE OF INV	ENTOR 20	22	SIGNATURE O	F INVENTOR 20	3
	DATE DATE						DATE		